


MULTI-LAYERED CURTAIN

TECHNICAL DATA SHEET

December 2019

Our specially developed separation curtains are the ideal solution to reduce noise transmission. The heavy and yet flexible lining has great insulating properties, while the outer top layer(s) not only give this multi-layered curtain its luxurious appearance, but also contribute to better room acoustics.

STANDARD COMPOSITIONS



From 2 to 4 layers, choose the right amount of layers according to the level of sound reduction it will provide.


SOUND REDUCTION ACCORDING TO EN ISO 10140-2

Sound insulation tests were carried out with an mdf frame on the left, right & top; curtains in contact with floor.

2 x 2-layer curtain (Rw 19dB) 4-layer curtain (Rw 17dB) 50,0 40,0 20,0 20,0 10,0 0,0 10,0 0,0 10,0

SOUND ABSORPTION ACCORDING TO EN ISO 345

Sound absorption tests were carried out using a 2-layer curtain.






MULTI-LAYERED CURTAIN


TECHNICAL DATA SHEET

ShowTex offers 2 fabrics to be used as a visual top layer. Opt for a polyester Velours or <u>Blackout Double</u> according to your aesthetic preference. Both fabrics are subject to minimal shrinkage and have sound-absorbing properties.

» AVAILABLE COLOURS*



» AVAILABLE COLOURS BLACKOUT DOUBLE





MULTI-LAYERED CURTAIN

TECHNICAL DATA SHEET

December 2019

» ARTICLE CODE

1385 0138 ####

» WIDTH

140 cm

» LENGTH

» WEIGHT

± 30 m

845 g/m²

» COMPOSITION

72% PVC IFR + 16 % PES + 12 % MNF

CARE INSTRUCTIONS

Do not use solvents, solvent cleaning agents or concentrated abrasives.

» FLAME RESISTANCE

EN 13773 (2003)

CLASS 1

» AVAILABLE COLOURS







0007

0003

0013

CREATIVE ACOUSTIC SOLUTIONSMORE INFO ON WWW.SHOWTEX.COM